INDIVIDUALIZED HEALTH CARE PLAN FOR STUDENTS WITH FOOD & LIFE-THREATENING ALLERGIES 2023-2024 SCHOOL YEAR

To be completed by the Parent:				
Student Name:	Grade:			
Allergies to:				
Student needs to avoid:				
Reaction(s) student has:				
Self-Carry permission from physician: NO YE	LS *			
*If YES, parent will complete Self-Carry and Self-Admini	ster Epinephrine Auto-Injector agreement.			
EMERGENCY CONTACTS	OTHER EMERGENCY CONTACTS			
PARENT/GUARDIAN:	NAME:			
PHONE:	PHONE:			
DOCTOR:	NAME:			
PHONE:	PHONE:			
expiration date to replace the medication. I hereby request the manamed student, and it may be administered by medical or non-medication. Such agreement by the school is adequate consideration of my agareeing to allow the medication to be given to the student as reconstructed and the individuals giving the medication, of and from the principal, and the individuals giving the medication, of and from the principal, and the individuals giving the other parent of demands, or causes of action against the Archdiocese of Galvestobut not limited to the parish, the school, the principal, and the individually understood that the Archdiocese and its employees and §38.215, from suit resulting from any act or failure to act concertindividualized health care plan for food and life threatening aller waive this immunity.	greements contained herein. In consideration for the school quested herein, I agree to indemnify and hold harmless the ployees, including, but not limited to the parish, the school, rom any and all claims, demands, or causes of action arising a or failing to give the medication to the student. Further, for the student, hereby release and waive any and all claims, on-Houston, its agents, servants, or employees, including, dividual giving or failing to give the medication. It is affiliates are immune, pursuant to Tex. Educ. Code ning the administration of epinephrine medication under the			
Parent Signature:	Date:			
be completed by School:				
School Nurse/Health Coordinator Signature:	Date:			
Principal Signature:	Date:			
Before & After Program Coordinator Signature:	Date:			
If applicable) Feacher notification provided by:	Date:			

School staff may be notified of the student's health condition and the treatment plan in case of an emergency.

INDIVIDUALIZED HEALTH CARE PLAN FOR STUDENTS WITH

		FOOD & LIF	E-THREATI 23-2024 SCH		ERGIES	<i>,</i> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
To be completed	by the Physician	n:					
Students Name:	D.O.B.:						
Allergy to:							
Weight:	lbs. Ast	hma: * YES	(higher risk for	a severe reactio	n)] NO	
NOTE	E: Treat the person bet	ore calling emergency	contacts. The first sig	gn of a reaction can b	e mild, but sympto	ms can worsen o	uickly.
Extremely read	ctive to the follo	wing allergens:					
THEREFORE:	If checked, g	ive Epinephrine imm	ediately if the aller	gen was LIKELY ea	aten, for ANY sy	mptoms.	
	<u> </u>	ive Epinephrine imm					s are apparent.
FOR ANY OF T	THE FOLLOWING F	MPTOM: OLLOW DIRECTION THROAT	MOUTH	FOR MILL AREA NOSE	MILD SYND SYMPTOMS FRA, FOLLOW THE D	OM A SINGLE S DIRECTIONS BEI SKIN	SYSTEM LOW GUT
Shortness of breath, wheezing, repetitive cough	Pale or bluish skin, faintness, weak pulse, dizziness	Tight or hoarse throat, trouble breathing or swallowing	Significant swelling of the tongue or lips		Itchy mouth amines may be	A few hive Mild itch	Mild nausea or discomfort ered by a



Many hives over body,

widespread



Repetitive vomiting, severe diarrhea



Feeling something bad is about to happen, anxiety, confusion

OR A **COMBINATION**

of symptoms from different body areas.

INJECT EPINEPHRINE IMMEDIATELY

- 2. **CALL 911.** Tell emergency dispatcher the person is having anaphylaxis and may need epinephrine when emergency responders arrive.
- 3. Consider giving additional medications following epinephrine:
 - Antihistamine
 - Inhaler (bronchodilator) if wheezing
- 4. Lay the person flat, raise legs and keep warm. If breathing is difficult or they are vomiting, let them sit up or lie on their
- 5. If symptoms do not improve, or symptoms return, more doses of epinephrine can be given about 5 minutes or more after the last dose.
- 6. Alert Emergency Contacts.
- 7. Transport patient to ER, even if symptoms resolve

- 2. Stay with the person; **ALERT** Emergency

3. Watch closely for changes. worsen, give EPINEPHRI		OHIS
MEDICATIONS/	DOSES	
Epinephrine Brand:		
Epinephrine Dose: 0.15 mg IN	и [0.3 mg IM
Antihistamine Brand or Generic:		
Antihistamine Dose:Other (inhaler-bronchodilator if whee		
Other (inhaler-bronchodilator if whee May Self-Carry Epinephrine:		
Other (inhaler-bronchodilator if whee May Self-Carry Epinephrine:	ezing):	NO
Other (inhaler-bronchodilator if whee May Self-Carry Epinephrine: May Self-Administer: Physician initial: The a	YES YES	NO NO
Other (inhaler-bronchodilator if whee — May Self-Carry Epinephrine: May Self-Administer: Physician initial: The ademonstrated the proper use of his/he	YES YES above studer Epineph	NO NO lent has
Other (inhaler-bronchodilator if whee May Self-Carry Epinephrine: May Self-Administer: Physician initial: The a	YES YES above studer Epinephol respon	NO NO lent has arine. I have sible use and

PHYSICIAN SIGNATURE **PRINT** PHONE NO. **DATE**


EPIPEN® AND EPIPEN JR® (EPINEPHRINE) Directions:

EPIPEN 2-PAK* EPIPEN Jr 2-PAK* (Epinephrine) Auto-Injectors 03/015mg

- 1. Remove Auto-Injector from the clear carrier tube.
- 2. Pull off blue safety release by pulling straight up.



3. Hold orange tip near outer thigh (always apply to thigh)



- Swing and firmly push orange tip against outer thigh. Hold on thigh firmly for approximately 3 seconds.
 (Count slowly 1, 2, and 3).
- 5. Remove and massage the injection area for 10 seconds.
- 6. **Call 911** and get emergency medical help right away.

ADMINISTRATION AND SAFETY INFORMATION FOR ALL AUTO-INJECTORS:

- Do not put your thumb, fingers or hand over the tip of the auto-injector or inject into any body part other than midouter thigh.
- 2. If administering to a young child, hold their leg firmly in place before and during injection to prevent injuries.
- 3. Epinephrine can be injected through clothing if needed.
- 4. Call 911 immediately after injection


Auvi-Q (EPINEPHRINE) Directions:



- 1. Remove the outer case of AUVI-Q. This will activate the voice instructions.
- 2. Pull off RED safety guard.



3. Place black end against outer thigh, press firmly and hold for 5 seconds.



4. Call 911

Adrenaclick (EPINEPHRINE) Directions:



1. Remove GREY caps labeled "1" and "2"



- 2. Place RED rounded tip against outer thigh, press down hard until needle penetrates. Hold for 10 seconds then remove.
- 3. Call 911

Source: Food Allergy Research & Education (FARE) (WWW.FOODALLERGY.ORG) 5/2014

SELF-CARRY AND SELF-ADMINISTER EPINEPHRINE AUTO-INJECTOR AGREEMENT 2023-2024 SCHOOL YEAR

To be compl	eted by the Parent and Student:			
Student name	tudent name: Date of Birth:			
Where will st	udent carry Epinephrine auto-injector (required):			
An additional	Epinephrine auto-injector will be provided to the school and stored with prescribed medication at			
specified scho	ool location: (required):			
	STUDENT			
• I will no	otify school personnel if I am having more difficulty than usual with my allergies.			
to the m	o carry my Epinephrine auto injector with me as listed above. If an emergency arises and I am unable to get arse/school personnel, I will use the Epinephrine auto-injector as prescribed by the physician and then ately inform a nurse/school personnel.			
understa parent(s	o use my Epinephrine auto injector in a responsible manner, in accordance with the physician's orders. I and my life-threatening allergy, exposure, symptoms, and treatment plan reviewed by my physician and)/guardian(s) and understand to use my Epinephrine auto-injector only when an emergency arises, as ed by my physician, and I am unable to get to the nurse/school personnel in time.			
	to never share my Epinephrine auto injector with another person as this is dangerous. If I do this may result in hary action.			
Student Sig	gnature: Date:			
	PARENT/GUARDIAN			
I agree t expired.	o see that my child carries his/her Epinephrine auto injector as prescribed, and that it is properly labeled and is not			
	and that I will provide the school with an additional Epinephrine auto-injector to store at school along with any ed medication(s) from the physician treatment plan.			
	eviewed with my child their life-threatening allergy, exposure, symptoms and treatment plan including the usage of carry Epinephrine auto injector if an emergency arises.			
I agree t	o regularly review with my child the proper use of his/her Epinephrine auto-injector when at school.			
_	o regularly review the status of my child's allergies with the physician and to notify the physician when my child g more difficulty than usual.			
• I unders	and if my child shares medication with other students it may result in disciplinary actions.			
administ	I has demonstrated to his/her physician and the school, nurse, if available, the skill level necessary to self- er the prescription medication, including the use of any device required to administer the medication in case an cy arises and they are unable to get to a school personnel/nurse.			
	-administration is done in compliance with the prescription or written authorization for my child to self-administer cine while on school property or at a school-related event or activity.			
child's p	tand that such self-administration must be done in compliance with the prescription or written instructions of my physician. Additionally, I have provided a written and signed statement from my child's physician that states: 1. The student has a life-threatening allergy and is capable of self-administering the prescription medicine; 2. The name and purpose of the medicine; the prescribed dosage of the medicine; the times or circumstances which the medicine may be administered; and the duration for which the medicine is prescribed. In effect for the current school year only unless revoked by the physician or the student, parent(s)/guardian(s) fails all the above safety contingencies.			
Parent Sign	ature: Date:			